SENESCO TECHNOLOGIES INC

Form 8-K January 09, 2014	
UNITED STATES	
SECURITIES AND EXC	CHANGE COMMISSION
Washington, D.C. 20549	
FORM 8-K	
CURRENT REPORT	
PURSUANT TO SECTION	ON 13 OR 15(d) OF THE
SECURITIES EXCHAN	GE ACT OF 1934
Date of report (Date of ear	liest event reported): <u>January 9, 2014</u>
Senesco Technologies, Inc	<u>.</u>
(Exact Name of Registrant	as Specified in Charter)
Delaware	001-31326 84-1368850 (Commission File Number) (IRS Employer Identification No.)

(State or Other Jurisdiction of Incorporation)
721 Route 202-206, Suite 130, Bridgewater, NJ H8807 (Address of Principal Executive Offices) (Zip Code)
(908) 864-4444 (Registrant's telephone number,
including area code)
Not applicable
(Former Name or Former Address, if Changed Since Last Report)
Check the appropriate box below if the Form 8-K is intended to simultaneously satisfy the filing obligation of the registrant under any of the following provisions:
"Written communications pursuant to Rule 425 under the Securities Act (17 CFR 230.425).
"Soliciting material pursuant to Rule 14a-12 under the Exchange Act (17 CFR 240.14a-12).
"Pre-commencement communications pursuant to Rule 14d-2(b) under the Exchange Act (17 CFR 240.14d-2(b)).
"Pre-commencement communications pursuant to Rule 13e-4(c) under the Exchange Act (17 CFR 240.13e-4(c)).

Item	8.01	Other	Events.

On January 9, 2014, Senesco Technologies, Inc. issued a press release announcing the administration of SNS01-T to the first patient in cohort 4 of its Phase 1b/2a study in multiple myeloma and non-Hodgkins B-cell lymphoma.

The study is an open-label, multiple-dose, dose-escalation study to evaluate the safety and tolerability of SNS01-T when administered by intravenous infusion to approximately 15 relapsed or refractory multiple myeloma and B-cell lymphoma patients. While the primary objective is to evaluate safety and tolerability, the effect of SNS01-T on tumor response and time to relapse or progression is assessed using multiple well-established metrics including measurement of monoclonal protein in multiple myeloma and CT imaging in B-cell lymphomas.

In the study, patients are dosed twice-weekly by intravenous infusion for six weeks followed by an observation period. The first three cohorts of patients received 0.0125, 0.05 and 0.2 mg/kg per dose, respectively. The dose level for cohort 4 is 0.375 mg/kg, which is 30 fold higher than the starting dose in cohort 1. It is expected that the study will enroll six to nine patients to complete cohort 4.

A copy of the press release is filed as Exhibit 99.1 hereto and incorporated herein by reference.

#### Item 9.01. Financial Statements and Exhibits.

(d) Exhibits.

#### Exhibit No. Description

99.1 Press Release of Senesco Technologies, Inc. dated January 9, 2014.

#### **SIGNATURE**

Pursuant to the requirements of the Securities Exchange Act of 1934, the registrant has duly caused this report to be signed on its behalf by the undersigned, hereunto duly authorized.

### SENESCO TECHNOLOGIES, INC.

Dated: January 9, 2014 By: /s/ Leslie J. Browne, Ph.D.

Name: Leslie J. Browne, Ph.D.

President and Chief Executive Officer

Title: